



FRAISES


Fraises

Fräser

End mills

Frese

5	2	1	1	5	7	3	0	G		521.157.30	521.157.30
HSS Co8	Fraises Fräser End mills Frese			Z3 - 5 		$\lambda 30^\circ$ $\gamma \sim 10^\circ$		AlCrON			



OPT
hss



Type N
ISO 1641/I

D	d _{h6}	l ₁	L	Z	Non revêtu	Revêtu AlCrON
3	6	12	56	3	521.157.30-03	521.157.30G-03
4	6	19	63	3	521.157.30-04	521.157.30G-04
5	6	24	68	3	521.157.30-05	521.157.30G-05
6	6	24	68	3	521.157.30-06	521.157.30G-06
7	8	30	74	4	521.157.30-07	521.157.30G-07
8	8	38	82	4	521.157.30-08	521.157.30G-08
9	10	38	88	4	521.157.30-09	521.157.30G-09
10	10	45	95	4	521.157.30-10	521.157.30G-10
12	12	53	110	4	521.157.30-12	521.157.30G-12
14	12	53	110	4	521.157.30-14	521.157.30G-14
16	16	63	123	4	521.157.30-16	521.157.30G-16
18	16	63	123	4	521.157.30-18	521.157.30G-18
20	20	75	141	4	521.157.30-20	521.157.30G-20
22	20	75	141	4	521.157.30-22	521.157.30G-22
25	25	90	166	5	521.157.30-25	521.157.30G-25
28	25	90	166	5	521.157.30-28	521.157.30G-28
32	32	106	186	5	521.157.30-32	521.157.30G-32

Livable avec revêtement TiCN jusqu'à épuisement du stock