

FRAISES scies

Fraises scies

Kreissagen

Slitting saws

Seghe circolari


2

2

7

MD
HM/SC
MG

Fraises
Sagen
Saws
Seghe




Norme
OPTI

$\lambda \sim 6^\circ$
 12°



227



nouveau

Exécution poli glacé

Autres dimensions et
dentures sur demande

OPTI
cut

D _{+/-0.02}	d _{H6}	e _{0/+0.005}	Non revêtu	D _{+/-0.02}	d _{H6}	e _{0/+0.005}	Non revêtu
15	5	0.07	227-01505007-...	20	5	0.07	227-02005007-...
15	5	0.08	227-01505008-...	20	5	0.08	227-02005008-...
15	5	0.09	227-01505009-...	20	5	0.09	227-02005009-...
15	5	0.1	227-01505010-...	20	5	0.1	227-02005010-...
15	5	0.11	227-01505011-...	20	5	0.11	227-02005011-...
15	5	0.12	227-01505012-...	20	5	0.12	227-02005012-...
15	5	0.13	227-01505013-...	20	5	0.13	227-02005013-...
15	5	0.14	227-01505014-...	20	5	0.14	227-02005014-...
15	5	0.15	227-01505015-...	20	5	0.15	227-02005015-...
15	5	0.16	227-01505016-...	20	5	0.16	227-02005016-...
15	5	0.17	227-01505017-...	20	5	0.17	227-02005017-...
15	5	0.18	227-01505018-...	20	5	0.18	227-02005018-...
15	5	0.19	227-01505019-...	20	5	0.19	227-02005019-...
15	5	0.2	227-01505020-...	20	5	0.2	227-02005020-...
15	5	0.21	227-01505021-...	20	5	0.21	227-02005021-...
15	5	0.22	227-01505022-...	20	5	0.22	227-02005022-...
15	5	0.23	227-01505023-...	20	5	0.23	227-02005023-...
15	5	0.24	227-01505024-...	20	5	0.24	227-02005024-...
15	5	0.25	227-01505025-...	20	5	0.25	227-02005025-...
15	5	0.26	227-01505026-...	20	5	0.26	227-02005026-...
15	5	0.27	227-01505027-...	20	5	0.27	227-02005027-...
15	5	0.28	227-01505028-...	20	5	0.28	227-02005028-...
15	5	0.29	227-01505029-...	20	5	0.29	227-02005029-...
15	5	0.3	227-01505030-...	20	5	0.3	227-02005030-...

Livable de stock avec 80 ou 100 dents

INEO
Tech
>>> p 148

FRAISES scies

Fraises scies

Kreissagen

Slitting saws

Seghe circolari

2

2

7



0

1

1

MD
HM/SC
MG

Fraises
Sagen
Saws
Seghe




DIN
1837

$\lambda \sim 6^\circ$
 12°



227.011



OPT
cut

Autres dimensions et
dentures sur demande

D	d _{H7}	e	Z	Non revêtu
15	5	0.1	64	227.011-015-0.1
15	5	0.15	64	227.011-015-0.15
15	5	0.2	64	227.011-015-0.2
15	5	0.25	64	227.011-015-0.25
15	5	0.3	64	227.011-015-0.3
15	5	0.35	64	227.011-015-0.35
15	5	0.4	64	227.011-015-0.4
15	5	0.45	48	227.011-015-0.45
15	5	0.5	48	227.011-015-0.5
15	5	0.6	48	227.011-015-0.6
15	5	0.7	48	227.011-015-0.7
15	5	0.8	40	227.011-015-0.8
15	5	0.9	40	227.011-015-0.9
15	5	1	40	227.011-015-1
15	5	1.1	40	227.011-015-1.1
15	5	1.2	40	227.011-015-1.2
15	5	1.3	40	227.011-015-1.3
15	5	1.4	40	227.011-015-1.4
15	5	1.5	40	227.011-015-1.5
15	5	1.6	40	227.011-015-1.6
15	5	1.7	40	227.011-015-1.7
15	5	1.8	40	227.011-015-1.8
15	5	1.9	40	227.011-015-1.9
15	5	2	40	227.011-015-2
15	5	2.5	40	227.011-015-2.5
15	5	3	40	227.011-015-3
15	5	3.5	24	227.011-015-3.5
15	5	4	24	227.011-015-4
15	5	5	24	227.011-015-5
15	5	6	24	227.011-015-6

D	d _{H7}	e	Z	Non revêtu
20	5	0.1	80	227.011-020-0.1
20	5	0.15	80	227.011-020-0.15
20	5	0.2	80	227.011-020-0.2
20	5	0.25	64	227.011-020-0.25
20	5	0.3	64	227.011-020-0.3
20	5	0.35	64	227.011-020-0.35
20	5	0.4	64	227.011-020-0.4
20	5	0.45	48	227.011-020-0.45
20	5	0.5	48	227.011-020-0.5
20	5	0.6	48	227.011-020-0.6
20	5	0.7	48	227.011-020-0.7
20	5	0.8	40	227.011-020-0.8
20	5	0.9	40	227.011-020-0.9
20	5	1	40	227.011-020-1
20	5	1.1	40	227.011-020-1.1
20	5	1.2	40	227.011-020-1.2
20	5	1.3	40	227.011-020-1.3
20	5	1.4	40	227.011-020-1.4
20	5	1.5	40	227.011-020-1.5
20	5	1.6	40	227.011-020-1.6
20	5	1.7	32	227.011-020-1.7
20	5	1.8	32	227.011-020-1.8
20	5	1.9	32	227.011-020-1.9
20	5	2	32	227.011-020-2
20	5	2.5	32	227.011-020-2.5
20	5	3	32	227.011-020-3
20	5	3.5	24	227.011-020-3.5
20	5	4	24	227.011-020-4
20	5	5	24	227.011-020-5
20	5	6	24	227.011-020-6

D	d _{H7}	e	Z	Non revêtu
25	8	0.1	80	227.011-025-0.1
25	8	0.15	80	227.011-025-0.15
25	8	0.2	80	227.011-025-0.2
25	8	0.25	80	227.011-025-0.25
25	8	0.3	80	227.011-025-0.3
25	8	0.35	64	227.011-025-0.35
25	8	0.4	64	227.011-025-0.4
25	8	0.45	64	227.011-025-0.45
25	8	0.5	64	227.011-025-0.5
25	8	0.6	64	227.011-025-0.6
25	8	0.7	48	227.011-025-0.7
25	8	0.8	48	227.011-025-0.8
25	8	0.9	48	227.011-025-0.9
25	8	1	48	227.011-025-1
25	8	1.1	48	227.011-025-1.1
25	8	1.2	48	227.011-025-1.2
25	8	1.3	40	227.011-025-1.3
25	8	1.4	40	227.011-025-1.4
25	8	1.5	40	227.011-025-1.5
25	8	1.6	40	227.011-025-1.6
25	8	1.7	40	227.011-025-1.7
25	8	1.8	40	227.011-025-1.8
25	8	1.9	40	227.011-025-1.9
25	8	2	40	227.011-025-2
25	8	2.5	40	227.011-025-2.5
25	8	3	32	227.011-025-3
25	8	3.5	32	227.011-025-3.5
25	8	4	32	227.011-025-4
25	8	5	32	227.011-025-5
25	8	6	24	227.011-025-6

>>>
INEO
Tech
>>> p 148

FRAISES scies

Fraises scies

Kreissagen

Slitting saws

Seghe circolari

2

2

7


0

1

1

MD
HM/SC
MG

Fraises
Sagen
Saws
Seghe




DIN
1837

$\lambda \sim 6^\circ$
 12°



227.011



OPT
cut

Autres dimensions et
dentures sur demande

D	d _{H7}	e	Z	Non revêtu
30	8	0.1	100	227.011-030-0.1
30	8	0.15	100	227.011-030-0.15
30	8	0.2	100	227.011-030-0.2
30	8	0.25	100	227.011-030-0.25
30	8	0.3	80	227.011-030-0.3
30	8	0.35	80	227.011-030-0.35
30	8	0.4	80	227.011-030-0.4
30	8	0.45	80	227.011-030-0.45
30	8	0.5	80	227.011-030-0.5
30	8	0.6	64	227.011-030-0.6
30	8	0.7	64	227.011-030-0.7
30	8	0.8	64	227.011-030-0.8
30	8	0.9	64	227.011-030-0.9
30	8	1	64	227.011-030-1
30	8	1.1	48	227.011-030-1.1
30	8	1.2	48	227.011-030-1.2
30	8	1.3	48	227.011-030-1.3
30	8	1.4	48	227.011-030-1.4
30	8	1.5	48	227.011-030-1.5
30	8	1.6	48	227.011-030-1.6
30	8	1.7	48	227.011-030-1.7
30	8	1.8	48	227.011-030-1.8
30	8	1.9	48	227.011-030-1.9
30	8	2	48	227.011-030-2
30	8	2.5	40	227.011-030-2.5
30	8	3	40	227.011-030-3
30	8	3.5	40	227.011-030-3.5
30	8	4	40	227.011-030-4
30	8	5	32	227.011-030-5
30	8	6	32	227.011-030-6

D	d _{H7}	e	Z	Non revêtu
40	10	0.1	128	227.011-040-0.1
40	10	0.15	128	227.011-040-0.15
40	10	0.2	128	227.011-040-0.2
40	10	0.25	100	227.011-040-0.25
40	10	0.3	100	227.011-040-0.3
40	10	0.35	100	227.011-040-0.35
40	10	0.4	100	227.011-040-0.4
40	10	0.45	80	227.011-040-0.45
40	10	0.5	80	227.011-040-0.5
40	10	0.6	80	227.011-040-0.6
40	10	0.7	80	227.011-040-0.7
40	10	0.8	80	227.011-040-0.8
40	10	0.9	64	227.011-040-0.9
40	10	1	64	227.011-040-1
40	10	1.1	64	227.011-040-1.1
40	10	1.2	64	227.011-040-1.2
40	10	1.3	64	227.011-040-1.3
40	10	1.4	64	227.011-040-1.4
40	10	1.5	64	227.011-040-1.5
40	10	1.6	64	227.011-040-1.6
40	10	1.7	48	227.011-040-1.7
40	10	1.8	48	227.011-040-1.8
40	10	1.9	48	227.011-040-1.9
40	10	2	48	227.011-040-2
40	10	2.5	48	227.011-040-2.5
40	10	3	48	227.011-040-3
40	10	3.5	40	227.011-040-3.5
40	10	4	40	227.011-040-4
40	10	5	40	227.011-040-5
40	10	6	40	227.011-040-6

D	d _{H7}	e	Z	Non revêtu
50	13	0.2	128	227.011-050-0.2
50	13	0.25	128	227.011-050-0.25
50	13	0.3	128	227.011-050-0.3
50	13	0.35	100	227.011-050-0.35
50	13	0.4	100	227.011-050-0.4
50	13	0.45	100	227.011-050-0.45
50	13	0.5	100	227.011-050-0.5
50	13	0.6	100	227.011-050-0.6
50	13	0.7	80	227.011-050-0.7
50	13	0.8	80	227.011-050-0.8
50	13	0.9	80	227.011-050-0.9
50	13	1	80	227.011-050-1
50	13	1.1	80	227.011-050-1.1
50	13	1.2	80	227.011-050-1.2
50	13	1.3	64	227.011-050-1.3
50	13	1.4	64	227.011-050-1.4
50	13	1.5	64	227.011-050-1.5
50	13	1.6	64	227.011-050-1.6
50	13	1.7	64	227.011-050-1.7
50	13	1.8	64	227.011-050-1.8
50	13	1.9	64	227.011-050-1.9
50	13	2	64	227.011-050-2
50	13	2.5	64	227.011-050-2.5
50	13	3	48	227.011-050-3
50	13	3.5	48	227.011-050-3.5
50	13	4	48	227.011-050-4
50	13	5	48	227.011-050-5
50	13	6	40	227.011-050-6



>>> p 148

FRAISES scies

Fraises scies

Kreissagen

Slitting saws

Seghe circolari

2

2

7




0

1

1

MD
HM/SC
MG

Fraises
Sagen
Saws
Seghe




DIN
1837

$\lambda \sim 6^\circ$
 12°



227.011



OPT
cut

Autres dimensions et
dentures sur demande

D	d _{H7}	e	Z	Non revêtu
63	16	0.2	160	227.011-063-0.2
63	16	0.25	128	227.011-063-0.25
63	16	0.3	128	227.011-063-0.3
63	16	0.35	128	227.011-063-0.35
63	16	0.4	128	227.011-063-0.4
63	16	0.45	128	227.011-063-0.45
63	16	0.5	128	227.011-063-0.5
63	16	0.6	100	227.011-063-0.6
63	16	0.7	100	227.011-063-0.7
63	16	0.8	100	227.011-063-0.8
63	16	0.9	100	227.011-063-0.9
63	16	1	100	227.011-063-1
63	16	1.1	80	227.011-063-1.1
63	16	1.2	80	227.011-063-1.2
63	16	1.3	80	227.011-063-1.3
63	16	1.4	80	227.011-063-1.4
63	16	1.5	80	227.011-063-1.5
63	16	1.6	80	227.011-063-1.6
63	16	1.7	80	227.011-063-1.7
63	16	1.8	80	227.011-063-1.8
63	16	1.9	80	227.011-063-1.9
63	16	2	80	227.011-063-2
63	16	2.5	64	227.011-063-2.5
63	16	3	64	227.011-063-3
63	16	3.5	64	227.011-063-3.5
63	16	4	64	227.011-063-4
63	16	5	48	227.011-063-5
63	16	6	48	227.011-063-6

D	d _{H7}	e	Z	Non revêtu
80	22	0.3	160	227.011-080-0.3
80	22	0.35	160	227.011-080-0.35
80	22	0.4	160	227.011-080-0.4
80	22	0.45	128	227.011-080-0.45
80	22	0.5	128	227.011-080-0.5
80	22	0.6	128	227.011-080-0.6
80	22	0.7	128	227.011-080-0.7
80	22	0.8	128	227.011-080-0.8
80	22	0.9	100	227.011-080-0.9
80	22	1	100	227.011-080-1
80	22	1.1	100	227.011-080-1.1
80	22	1.2	100	227.011-080-1.2
80	22	1.3	100	227.011-080-1.3
80	22	1.4	100	227.011-080-1.4
80	22	1.5	100	227.011-080-1.5
80	22	1.6	100	227.011-080-1.6
80	22	1.7	80	227.011-080-1.7
80	22	1.8	80	227.011-080-1.8
80	22	1.9	80	227.011-080-1.9
80	22	2	80	227.011-080-2
80	22	2.5	80	227.011-080-2.5
80	22	3	80	227.011-080-3
80	22	3.5	64	227.011-080-3.5
80	22	4	64	227.011-080-4
80	22	5	64	227.011-080-5
80	22	6	64	227.011-080-6

D	d _{H7}	e	Z	Non revêtu
100	22	0.5	160	227.011-100-0.5
100	22	0.6	160	227.011-100-0.6
100	22	0.7	128	227.011-100-0.7
100	22	0.8	128	227.011-100-0.8
100	22	0.9	128	227.011-100-0.9
100	22	1	128	227.011-100-1
100	22	1.1	128	227.011-100-1.1
100	22	1.2	128	227.011-100-1.2
100	22	1.3	100	227.011-100-1.3
100	22	1.4	100	227.011-100-1.4
100	22	1.5	100	227.011-100-1.5
100	22	1.6	100	227.011-100-1.6
100	22	1.7	100	227.011-100-1.7
100	22	1.8	100	227.011-100-1.8
100	22	1.9	100	227.011-100-1.9
100	22	2	100	227.011-100-2
100	22	2.5	100	227.011-100-2.5
100	22	3	80	227.011-100-3
100	22	3.5	80	227.011-100-3.5
100	22	4	80	227.011-100-4
100	22	5	80	227.011-100-5
100	22	6	64	227.011-100-6

>>>
INEO
Tech
>>> p 148



FRAISES scies

Fraises scies

Kreissagen

Slitting saws

Seghe circolari

2

2

7


0

1

1

MD
HM/SC
MG

Fraises
Sagen
Saws
Seghe




DIN
1837

$\lambda \sim 6^\circ$
 12°



227.011



OPT
cut

Autres dimensions et
dentures sur demande

D	d _{H7}	e	Z	Non revêtu
125	22	0.6	160	227.011-125-0.6
125	22	0.7	160	227.011-125-0.7
125	22	0.8	160	227.011-125-0.8
125	22	0.9	160	227.011-125-0.9
125	22	1	160	227.011-125-1
125	22	1.1	128	227.011-125-1.1
125	22	1.2	128	227.011-125-1.2
125	22	1.4	128	227.011-125-1.4
125	22	1.5	128	227.011-125-1.5
125	22	1.6	128	227.011-125-1.6
125	22	1.8	128	227.011-125-1.8
125	22	2	128	227.011-125-2
125	22	2.5	100	227.011-125-2.5
125	22	3	100	227.011-125-3
125	22	3.5	100	227.011-125-3.5
125	22	4	100	227.011-125-4
125	22	5	100	227.011-125-5
125	22	6	100	227.011-125-6

D	d _{H7}	e	Z	Non revêtu
160	32	1	160	227.011-160-1
160	32	1.2	160	227.011-160-1.2
160	32	1.5	160	227.011-160-1.5
160	32	1.6	160	227.011-160-1.6
160	32	1.8	128	227.011-160-1.8
160	32	2	128	227.011-160-2
160	32	2.5	128	227.011-160-2.5
160	32	3	128	227.011-160-3
160	32	4	100	227.011-160-4

D	d _{H7}	e	Z	Non revêtu
200	32	1.2	200	227.011-200-1.2
200	32	1.5	160	227.011-200-1.5
200	32	1.6	160	227.011-200-1.6
200	32	2	160	227.011-200-2
200	32	2.5	160	227.011-200-2.5
200	32	3	128	227.011-200-3
200	32	4	128	227.011-200-4

INEO
Tech

>>> p 148





FRAISES scies


Fraises scies

Kreissagen

Slitting saws

Seghe circolari

2	2	7	0	1	1			G	N	227.011G	227.011N
MD HM/SC MG	Fraises Sagen Saws Seghe				DIN 1837	$\lambda \sim 6^\circ$ 12°		AlCrON	TiAlN		



OPT
cut

Autres dimensions et
dentures sur demande

D	d _{H7}	e	Z	Revêtu AlCrON	Revêtu TiAlN N
50	13	0.6	100	227.011G-050-0.6	227.011N-050-0.6
50	13	0.8	80	227.011G-050-0.8	227.011N-050-0.8
50	13	1	80	227.011G-050-1	227.011N-050-1
63	16	0.6	100	227.011G-063-0.6	227.011N-063-0.6
63	16	0.8	100	227.011G-063-0.8	227.011N-063-0.8
63	16	1	100	227.011G-063-1	227.011N-063-1
80	22	0.6	128	227.011G-080-0.6	227.011N-080-0.6
80	22	0.8	128	227.011G-080-0.8	227.011N-080-0.8
80	22	1	100	227.011G-080-1	227.011N-080-1
100	22	0.8	128	227.011G-100-0.8	227.011N-100-0.8
100	22	1	128	227.011G-100-1	227.011N-100-1
125	22	0.6	160	227.011G-125-0.6	227.011N-125-0.6
125	22	0.8	160	227.011G-125-0.8	227.011N-125-0.8
125	22	1	160	227.011G-125-1	227.011N-125-1

* 227.011N : Livrable avec revêtement TiAlN N jusqu'à épuisement du stock

INEO
Tech
>>> p 148

FRAISES scies

Fraises scies

Kreissagen

Slitting saws

Seghe circolari

2

2

7

0

1


5

G

227.015G

MD
HM/SC
MG

Fraises
Sagen
Saws
Seghe




Norme
OPTI

$\lambda \sim 5^\circ$
 10°



AlCrON



OPTI
cut

D	d _{H7}	e	Z	Revêtu AlCrON
50	13	0.5	64	227.015G-050-0.5
50	13	0.6	64	227.015G-050-0.6
50	13	0.8	64	227.015G-050-0.8
50	13	1	64	227.015G-050-1
63	16	0.5	80	227.015G-063-0.5
63	16	0.6	80	227.015G-063-0.6
63	16	0.8	80	227.015G-063-0.8
63	16	1	80	227.015G-063-1
80	22	0.5	100	227.015G-080-0.5
80	22	0.6	100	227.015G-080-0.6
80	22	0.8	100	227.015G-080-0.8
80	22	1	100	227.015G-080-1
100	22	0.8	120	227.015G-100-0.8
100	22	1	120	227.015G-100-1

INTEC
Tech
>>> p 148

FRAISES scies

Fraises scies

Kreissagen

Slitting saws

Seghe circolari

2

2

7E

0

1



6

M

227E.016M

MD
HM/SC
MG 658

Fraises
Sagen
Saws
Seghe




Norme
OPTI

$\lambda \sim 5^\circ$
 10°



PSNM



OPTI
star

D	d _{H7}	e	Z	Revêtu PSNM
50	13	0.8	64	227E.016M-05008064
50	13	0.8	80	227E.016M-05008080
50	13	1	64	227E.016M-05010064
50	13	1	80	227E.016M-05010080
63	16	0.8	80	227E.016M-06308080
63	16	0.8	100	227E.016M-06308100
63	16	1	80	227E.016M-06310080
63	16	1	100	227E.016M-06310100
80	22	0.8	100	227E.016M-08008100
80	22	0.8	128	227E.016M-08008128
80	22	1	100	227E.016M-08010100
100	22	0.8	120	227E.016M-10008120
100	22	0.8	160	227E.016M-10008160
100	22	1	120	227E.016M-10010120
100	22	1	160	227E.016M-10010160

INTEC
Tech
>>> p 148


FRAISES scies


Fraises scies

Kreissagen


Slitting saws

Seghe circolari

2	2	7	5	15	R/L			G	227.515	227.515G
MD HM/SC MG	Fraises Sagen Saws Seghe			15°	A Droite A Gauche	$\lambda \sim 5^\circ$ 10°		AlCrON		



OPT
cut



D	d _{H7}	e	Z	Non revêtu	Revêtu AlCrON
50	13	0.5	64	227.515-05005064...	227.515G-05005064...
50	13	0.6	64	227.515-05006064...	227.515G-05006064...
50	13	0.8	64	227.515-05008064...	227.515G-05008064...
50	13	1	64	227.515-05010064...	227.515G-05010064...
63	16	0.5	80	227.515-06305080...	227.515G-06305080...
63	16	0.6	80	227.515-06306080...	227.515G-06306080...
63	16	0.8	80	227.515-06308080...	227.515G-06308080...
63	16	1	80	227.515-06310080...	227.515G-06310080...
80	22	0.5	100	227.515-08005100...	227.515G-08005100...
80	22	0.6	100	227.515-08006100...	227.515G-08006100...
80	22	0.8	100	227.515-08008100...	227.515G-08008100...
80	22	1	100	227.515-08010100...	227.515G-08010100...
100	22	1	120	227.515-10010120...	227.515G-10010120...

INEO
Tech

>>> p 148



FRAISES scies


Fraises scies

Kreissagen


Slitting saws

Seghe circolari

2	2	7	5	20	R/L			G	227.520	227.520G
MD HM/SC MG	Fraises Sagen Saws Seghe			20°	A Droite A Gauche	$\lambda \sim 5^\circ$ 10°		AlCrON		



OPT
cut



D	d _{H7}	e	Z	Non revêtu	Revêtu AlCrON
50	13	0.5	64	227.520-05005064...	227.520G-05005064...
50	13	0.6	64	227.520-05006064...	227.520G-05006064...
50	13	0.8	64	227.520-05008064...	227.520G-05008064...
50	13	1	64	227.520-05010064...	227.520G-05010064...
63	16	0.5	80	227.520-06305080...	227.520G-06305080...
63	16	0.6	80	227.520-06306080...	227.520G-06306080...
63	16	0.8	80	227.520-06308080...	227.520G-06308080...
63	16	1	80	227.520-06310080...	227.520G-06310080...
80	22	0.5	100	227.520-08005100...	227.520G-08005100...
80	22	0.6	100	227.520-08006100...	227.520G-08006100...
80	22	0.8	100	227.520-08008100...	227.520G-08008100...
80	22	1	100	227.520-08010100...	227.520G-08010100...
100	22	1	120	227.520-10010120...	227.520G-10010120...

INEO
Tech

>>> p 148